



MAJOR SOURCE OPERATING PERMIT

RUSKIN COMPANY /

PERMITTEE: RELIABLE PRODUCTS DIVISION

RUSKIN COMPANY /

FACILITY NAME: RELIABLE PRODUCTS DIVISION

FACILITY/PERMIT

NO.: 605-S003

LOCATION: GENEVA, GENEVA, ALABAMA

Issuance Date: November 13, 2016

Effective Date: November 13, 2016

Expiration Date: November 12, 2021

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, as amended, Ala. Code 1975, §§22-28-1 to 22-28-23 (2006 Rplc. Vol. and 2007 Cum. Supp.) (the "AAPCA") and the Alabama Environmental Management Act, as amended, Ala. Code 1975, §§22-22A-1 to 22-22A-15, (2006 Rplc. Vol. and 2007 Cum. Supp.) and rules and regulations adopted thereunder, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

Pursuant to the Clean Air Act of 1990, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the Clean Air Act of 1990 are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.

TABLE OF CONTENTS

GENERAL PERMIT PROVISOS	3
OPERATING PERMIT SUMMARY NO. 1	14
Section 1 Applicability	15
Section 2 – Emission Standards	15
Section 3 – Compliance and Performance Test Methods and Procedures	15
Section 4Emission Monitoring	16
Section 5Recordkeeping and Reporting Requirements	16

Fede	rally E	Inforceable Provisos	Regulations
1.	Tran	<u>sfer</u>	
	or otl piece	permit is not transferable, whether by operation of law herwise, either from one location to another, from one of equipment to another, or from one person to her, except as provided in Rule 335-3-1613(1)(a)5.	Rule 335-3-1602(6)
2.	Rene	ewals	
	six (6) before The stoop and of	oplication for permit renewal shall be submitted at least of months, but not more than eighteen (18) months, et the date of expiration of this permit. Source for which this permit is issued shall lose its right erate upon the expiration of this permit unless a timely complete renewal application has been submitted in the time constraints listed in the previous paragraph.	Rule 335-3-1612(2)
3.	Seve	rability Clause	
	and invaluation invaluation confination subp	provisions of this permit are declared to be severable of any section, paragraph, subparagraph, subdivision, see, or phrase of this permit shall be adjudged to be did or unconstitutional by any court of competent diction, the judgment shall not affect, impair, or didate the remainder of this permit, but shall be directly into the section, paragraph, aragraph, subdivision, clause, or phrase of this permit shall be directly involved in the controversy in which judgment shall have been rendered.	Rule 335-3-1605(e)
4.	Com	pliance	
	(a)	The permittee shall comply with all conditions of ADEM Admin. Code 335-3. Noncompliance with this permit will constitute a violation of the Clean Air Act of 1990 and ADEM Admin. Code 335-3 and may result in an enforcement action; including but not limited to, permit termination, revocation and reissuance, or modification; or denial of a permit renewal application by the permittee.	Rule 335-3-1605(f)
	(b)	The permittee shall not use as a defense in an enforcement action that maintaining compliance with conditions of this permit would have required halting	Rule 335-3-1605(g)

erally Enforceable Provisos	Regulations
or reducing the permitted activity.	
Termination for Cause	
This permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance will not stay any permit condition.	Rule 335-3-1605(h)
Property Rights	
The issuance of this permit does not convey any property rights of any sort, or any exclusive privilege.	Rule 335-3-1605(i)
Submission of Information	
The permittee must submit to the Department, within 30 days or for such other reasonable time as the Department may set, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. Upon receiving a specific request, the permittee shall also furnish to the Department copies of records required to be kept by this permit. Economic Incentives, Marketable Permits, and Emissions Trading	Rule 335-3-1605(j)
No permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit.	Rule 335-3-1605(k)
Certification of Truth, Accuracy, and Completeness:	
Any application form, report, test data, monitoring data, or compliance certification submitted pursuant to this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.	Rule 335-3-1607(a)
Inspection and Entry	
	Termination for Cause This permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance will not stay any permit condition. Property Rights The issuance of this permit does not convey any property rights of any sort, or any exclusive privilege. Submission of Information The permittee must submit to the Department, within 30 days or for such other reasonable time as the Department may set, any information that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. Upon receiving a specific request, the permittee shall also furnish to the Department copies of records required to be kept by this permit. Economic Incentives, Marketable Permits, and Emissions Trading No permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for in this permit. Certification of Truth, Accuracy, and Completeness: Any application form, report, test data, monitoring data, or compliance certification submitted pursuant to this permit shall contain certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

Fede	rally E	nforce	able Provisos	Regulations
	Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized representatives of the Alabama Department of Environmental Management and EPA to conduct the following:			Rule 335-3-1607(b)
	(a)	is loca or who	upon the permittee's premises where a source ated or emissions-related activity is conducted, ere records must be kept pursuant to the cions of this permit;	
	(b)	Review and/or copy, at reasonable times, any records that must be kept pursuant to the conditions of this permit;		
	(c)	(included)	et, at reasonable times, this facility's equipment ding monitoring equipment and air pollution of equipment), practices, or operations regulated uired pursuant to this permit;	
	(d)	or par	le or monitor, at reasonable times, substances cameters for the purpose of assuring compliance his permit or other applicable requirements.	
11.	Com	pliance	Provisions	
	(a)	applic	ermittee shall continue to comply with the able requirements with which the company has ed that it is already in compliance.	Rule 335-3-1607(c)
	(b)	applic	ermittee shall comply in a timely manner with able requirements that become effective during rm of this permit.	
12.	Com	pliance	Certification	
	A compliance certification shall be submitted annually within 60 days of the anniversary date of issuance of this permit.		Rule 335-3-1607(e)	
	(a)	The co	ompliance certification shall include the ing:	
		(1)	The identification of each term or condition of this permit that is the basis of the certification;	
		(2)	The compliance status;	

Fede	rally E	nforc	eable Provisos	Regulations
		(3)	The method(s) used for determining the compliance status of the source, currently and over the reporting period consistent with Rule 335-3-1605(c) (Monitoring and Recordkeeping Requirements);	
		(4)	Whether compliance has been continuous or intermittent;	
		(5)	Such other facts as the Department may require to determine the compliance status of the source;	
	(b)	The	compliance certification shall be submitted to:	
	Alaba	ama D	Department of Environmental Management Air Division P.O. Box 301463 Montgomery, AL 36130-1463	
13.	Reop		and to: r and EPCRA Enforcement Branch EPA Region IV 61 Forsyth Street, SW Atlanta, GA 30303	
			of the following circumstances, this permit will be rior to the expiration of the permit:	Rule 335-3-1613(5)
	(a)	Air A with years than appli requ	tional applicable requirements under the Clean act of 1990 become applicable to the permittee a remaining permit term of three (3) or more s. Such a reopening shall be completed not later eighteen (18) months after promulgation of the icable requirement. No such reopening is ired if the effective date of the requirement is than the date on which this permit is due to re.	
	(b)	requ sour by th	tional requirements (including excess emissions irements) become applicable to an affected ce under the acid rain program. Upon approval at Administrator, excess emissions offset plans a be deemed to be incorporated into this permit.	

Fede	rally I	Enforce	able Provisos	Regulations
	(c)	conta stater	Department or EPA determines that this permit ins a material mistake or that inaccurate ments were made in establishing the emissions ards or other terms or conditions of this permit.	
	(d)	this p	administrator or the Department determines that bermit must be revised or revoked to assure liance with the applicable requirements.	
14.	<u>Addi</u>	tional	Rules and Regulations	
	exist Rule	ing on t s and R	is issued on the basis of Rules and Regulations the date of issuance. In the event additional regulations are adopted, it shall be the permit ponsibility to comply with such rules.	§22-28-16(d), Code of Alabama 1975, as amended
15.	<u>Equi</u>	pment	Maintenance or Breakdown	
	(a)	equip issue main equip twent shutc the sl intend	e case of shutdown of air pollution control ment (which operates pursuant to any permit d by the Director) for necessary scheduled tenance, the intent to shut down such ment shall be reported to the Director at least cy-four (24) hours prior to the planned down, unless such shutdown is accompanied by nutdown of the source which such equipment is ded to control. Such prior notice shall include, a not limited to the following:	Rule 335-3-107(1), (2)
		(1)	Identification of the specific facility to be taken out of service as well as its location and permit number;	
		(2)	The expected length of time that the air pollution control equipment will be out of service;	
		(3)	The nature and quantity of emissions of air contaminants likely to occur during the shutdown period;	
		(4)	Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period;	
		(5)	The reasons that it would be impossible or impractical to shut down the source operation	

Fede	rally E	Regulations	
		during the maintenance period.	
	(b)	In the event that there is a breakdown of equipment or upset of process in such a manner as to cause, or is expected to cause, increased emissions of air contaminants which are above an applicable standard, the person responsible for such equipment shall notify the Director within 24 hours or the next working day and provide a statement giving all pertinent facts, including the estimated duration of the breakdown. The Director shall be notified when the breakdown has been corrected.	
16.	Oper	ation of Capture and Control Devices	
	which opera emiss the a as to	r pollution control devices and capture systems for a this permit is issued shall be maintained and ated at all times in a manner so as to minimize the sions of air contaminants. Procedures for ensuring that bove equipment is properly operated and maintained so minimize the emission of air contaminants shall be blished.	§22-28-16(d), Code of Alabama 1975, as amended
17.	Obno	oxious Odors	
	obnoverification odoro	permit is issued with the condition that, should xious odors arising from the plant operations be ed by Air Division inspectors, measures to abate the ous emissions shall be taken upon a determination by labama Department of Environmental Management these measures are technically and economically ole.	Rule 335-3-108
18.	Fugit	tive Dust	
	(a)	Precautions shall be taken to prevent fugitive dust emanating from plant roads, grounds, stockpiles, screens, dryers, hoppers, ductwork, etc.	Rule 335-3-402
	(b)	Plant or haul roads and grounds will be maintained in the following manner so that dust will not become airborne. A minimum of one, or a combination, of the following methods shall be utilized to minimize airborne dust from plant or haul roads and grounds: (1) By the application of water any time the	
		surface of the road is sufficiently dry to allow the creation of dust emissions by the act of	

Fede	rally E	Cnforce	eable Provisos	Regulations
			wind or vehicular traffic;	
		(2)	By reducing the speed of vehicular traffic to a point below that at which dust emissions are created;	
		(3)	By paving;	
		(4)	By the application of binders to the road surface at any time the road surface is found to allow the creation of dust emissions;	
	adeq and g exclu contr Alter prior	uately ground isively col tech native to util	, or a combination, of the above methods fail to reduce airborne dust from plant or haul roads is, alternative methods shall be employed, either or in combination with one or all of the above iniques, so that dust will not become airborne. methods shall be approved by the Department ization.	
19.	<u>Addi</u>	tions a	and Revisions	
	-		cations to this source shall comply with the n procedures in Rules 335-3-1613 or 335-3-16-	Rule 335-3-1613 and .14
20.	Reco	rdkee	ping Requirements	
	(a)		rds of required monitoring information of the ce shall include the following:	Rule 335-3-1605(c)2.
		(1)	The date, place, and time of all sampling or measurements;	
		(2)	The date analyses were performed;	
		(3)	The company or entity that performed the analyses;	
		(4)	The analytical techniques or methods used;	
		(5)	The results of all analyses; and	
		(6)	The operating conditions that existed at the time of sampling or measurement.	
	(b)	and	ntion of records of all required monitoring data support information of the source for a period of ast 5 years from the date of the monitoring Page 9	

Fede	rally	Enforceable Provisos	Regulations
		sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation and copies of all reports required by the permit	
21.	Rep	orting Requirements	
	(a)	Reports to the Department of any required monitoring shall be submitted at least every 6 months. All instances of deviations from permit requirements must be clearly identified in said reports. All required reports must be certified by a responsible official consistent with Rule 335-3-1604(9).	Rule 335-3-1605(c)3.
	(b)	Deviations from permit requirements shall be reported within 48 hours or 2 working days of such deviations, including those attributable to upset conditions as defined in the permit. The report will include the probable cause of said deviations, and any corrective actions or preventive measures that were taken.	
22.	<u>Emi</u>	ssion Testing Requirements	
	prov safe acco 40 o	n point of emission which requires testing will be ided with sampling ports, ladders, platforms, and other ty equipment to facilitate testing performed in ordance with procedures established by Part 60 of Title f the Code of Federal Regulations, as the same may be inded or revised.	Rule 335-3-105(3) and Rule 335-3-1- .04(1)
	in ad subi	Air Division must be notified in writing at least 10 days dvance of all emission tests to be conducted and mitted as proof of compliance with the Department's air ation control rules and regulations.	
	proc	void problems concerning testing methods and redures, the following shall be included with the fication letter:	
	(1)	The date the test crew is expected to arrive, the date and time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons and/or testing company that will conduct the tests.	Rule 335-3-104

	Enforceable Provisos	Regulations
(2)	A complete description of each sampling train to be used, including type of media used in determining gas stream components, type of probe lining, type of filter media, and probe cleaning method and solvent to be used (if test procedures require probe cleaning).	
(3)	A description of the process(es) to be tested including the feed rate, any operating parameters used to control or influence the operations, and the rated capacity.	
(4)	A sketch or sketches showing sampling point locations and their relative positions to the nearest upstream and downstream gas flow disturbances.	
own and	etest meeting may be held at the request of the source er or the Air Division. The necessity for such a meeting the required attendees will be determined on a case-by- basis.	Rule 335-3-104
30 d	est reports must be submitted to the Air Division within lays of the actual completion of the test unless an nsion of time is specifically approved by the Air Division.	
Pay	ment of Emission Fees	
	ual emission fees shall be remitted each year according ne fee schedule in ADEM Admin. Code R. 335-1-704.	Rule 335-1-704
<u>Oth</u>	er Reporting and Testing Requirements	
fuel may poll	mission of other reports regarding monitoring records, analyses, operating rates, and equipment malfunctions be required as authorized in the Department's air aution control rules and regulations. The Department require emission testing at any time.	Rule 335-3-104(1)
fuel may poll may	analyses, operating rates, and equipment malfunctions be required as authorized in the Department's air ation control rules and regulations. The Department	Rule 335-3-104(1)

Fede	rally Enforceable Provisos	Regulations
	No person shall knowingly vent or otherwise release any Class I or Class II substance into the environment during the repair, servicing, maintenance, or disposal of any device except as provided in 40 CFR Part 82, Subpart F.	
	The responsible official shall comply with all reporting and recordkeeping requirements of 40 CFR 82.166. Reports shall be submitted to the US EPA and the Department as required.	
26.	Chemical Accidental Prevention Provisions	
	If a chemical listed in Table 1 of 40 CFR Part 68.130 is present in a process in quantities greater than the threshold quantity listed in Table 1, then:	40 CFR Part 68
	(a) The owner or operator shall comply with the provisions in 40 CFR Part 68.	
	(b) The owner or operator shall submit one of the following:	
	(1) A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR Part 68 § 68.10(a) or,	
	(2) A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan.	
27.	Display of Permit	
	This permit shall be kept under file or on display at all times at the site where the facility for which the permit is issued is located and will be made readily available for inspection by any or all persons who may request to see it.	Rule 335-3-1401(1)(d)
28.	Circumvention	
	No person shall cause or permit the installation or use of any device or any means which, without resulting in reduction in the total amount of air contaminant emitted, conceals or dilutes any emission of air contaminant which would otherwise violate the Division 3 rules and regulations.	Rule 335-3-110
29.	<u>Visible Emissions</u>	

Fede	rally l	Enforceable Provisos	Regulations
30.	this discl than sour emis 40 C spec	ess otherwise specified in the Unit Specific provisos of permit, any source of particulate emissions shall not harge more than one 6-minute average opacity greater 20% in any 60-minute period. At no time shall any ree discharge a 6-minute average opacity of particulate sions greater than 40%. Opacity will be determined by EFR Part 60, Appendix A, Method 9, unless otherwise ified in the Unit Specific provisos of this permit.	Rule 335-3-401(1)
	(a)	Unless otherwise specified in the Unit Specific provisos of this permit, no fuel-burning equipment may discharge particulate emissions in excess of the emissions specified in Part 335-3-403. Unless otherwise specified in the Unit Specific	Rule 335-3-403
31.	, ,	provisos of this permit, no fuel-burning equipment may discharge sulfur dioxide emissions in excess of the emissions specified in Part 335-3-501.	Rule 335-3-501
-	Unle this	ess otherwise specified in the Unit Specific provisos of permit, no process may discharge particulate emissions access of the emissions specified in Part 335-3-404.	Rule 335-3-404
32.	Unle	raging Time for Emission Limits ess otherwise specified in the permit, the averaging time the emission limits listed in this permit shall be the inal time required by the specific test method.	Rule 335-3-105

Operating Permit Summary No. 1.

Emission Unit(s): S3 and S6 Coating Lines

Designation No(s). in 001

Application:

Company: Ruskin Company /

Reliable Products Division

Description: S3 001 (Dept 13) - Four stage spray wash system, four spray paint booths with dry

particulate filters and two natural gas drying

ovens

S6 002 (Dept 14) - Six stage spray wash system, six spray paint booths, four with dry particulate filters, two with dry particulate filters or water curtains and two natural gas

drying ovens

Permitted Operating Schedule: 24 hr/day x 365 days/yr. = 8760 hr/yr.

Type and quantity of fuel used:

Primary: Natural Gas

Secondary: None

Pollutants Emitted:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	Facility Wide 235 tons of	SYNTHETIC MINOR PSD
	VOCs in any rolling 12	MSOP
	month period	
HAPs	3.3 kg (27.5 lb) Organic	40 CFR 63 Subpart
	HAP / Liter (Gal) coating	MMMM
	solids during each 12-	
	month compliance period	
	Options 1 and/or 2	

Unit Specific Provisos

	Federally Enforceable Provisos	Regulations		
Section 1 Applicability				
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404		
2.	This source is subject to the applicable requirements of ADEM Admin. Code R. 335-3-1603 "Major Source Operating Permit (MSOP)".	ADEM Admin. Code R. 335-3-1603		
3.	This source is subject to the applicable requirements of ADEM Admin. Code R. 335-3-1106(90), "40 CFR 63 - National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Miscellaneous Metal Parts and Products – Subpart MMMM" as an "Existing Source".	ADEM Admin. Code R. 335-3-1106(90)		
4.	This source will be subject to the General Provisions of 40 CFR 63 Subpart A.	ADEM Admin. Code R. 335-3-1106(1)		
Secti	ion 2 – Emission Standards			
1.	Emission of Volatile Organic Compounds (VOCs) from this plant wide operation shall not exceed 235 tons in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-1404(8)		
2.	This facility shall use Option One (1) Compliant materials or Option Two (2) Compliance based on the emission rate without add-on controls of 40 CFR 63 - NESHAP's Subpart MMMM Maximum Achievable Control Technology (MACT). 3.3 kg (27.5 lb) Organic HAP / Liter (Gal) coating solids during each 12-month compliance period.	ADEM Admin. Code R. 335-3-1106(90)		
3.	This facility is subject to the General Compliance Requirements of 40 CFR 63.3900 (a)(1) amd (b).	ADEM Admin. Code R. 335-3-1106(90)		
Section 3 – Compliance and Performance Test Methods and Procedures				
1.	The HAPs content by weight of each HAPs containing material used shall be determined using EPA Test Method 311, as defined in 40 CFR 63, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-1607		
2.	The VOC content by weight of each VOC containing material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60, Appendix A. Vendor data based on this method is an appropriate substitute.	ADEM Admin. Code R. 335-3-104		

Federally Enforceable Provisos

Regulations

3. Initial compliane with the HAP limits must be demonstrated as required by 40 CFR 63.3940 and 63.3941. Continuous must be demonstrated as required by 40 CFR 63.3942.

ADEM Admin. Code R. 335-3-11-.06(90)

Section 4--Emission Monitoring

1. The monitoring requirements in this permit shall be as required in Section 5--Recordkeeping and Reporting Requirements.

Section 5--Recordkeeping and Reporting Requirements

1. Accurate and understandable records of consumption, which record at least the last five years of data, will be maintained in a permanent form suitable for inspection and be available immediately upon request. This facility shall provide a copy of records and supporting background documents upon request that pertain to this air permit. These records shall contain the following information:

ADEM Admin. Code R. 335-3-1-.04

- (a) The type, quantity of each VOC containing material used in the plant manufacturing.
- (b) The VOC, HAP and water content shall be determined from the evaluation data supplied by the surface coating manufacturer with each shipment of purchased coatings and related material used.
- (c) The VOC content of material used shall be determined using EPA Test Method 24, as defined in 40 CFR 60. Appendix A or equivalent vendor data approved by the Department in advance.
- (d) Compliance with VOC and VHAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.
- (e) Complete inventories of the VOC and HAP containing materials (their usage, VOC content and VHAP content) shall be made at the end of each calendar month. Records shall be retained for 5 years and made available upon request by a representative of this Department.
- (f) The amount of VOCs and HAPs emitted per calendar month expressed in units of pounds and tons.

	Federally Enforceable Provisos		Regulations
	(g)	The rolling 12-month total of VOCs and HAPs emitted in units of pounds and tons.	
	(h)	Within the first 10 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.	
2.	subm	ort summarizing the information in proviso 5.1 shall be aitted each calendar quarter by the 10 day of the month ving the end of the quarter, in a format approved by the rtment in advance.	ADEM Admin. Code R. 335-3-104
3.	by 40 initia notifi	source must submit the general notifications required CFR 63.3910(a). This notification should include the l notification required by 40 CFR 63.3910(b), and the cation of compliance status required by 40 CFR 910(c).	ADEM Admin. Code R. 335-3-1106(90)
4.	63.39 annu provi volati	semi-annual compliance reports required by 40 CFR 220 shall be submitted along with the annual and semi-al compliance certifications required by general sios 12 and 21(a). This report should also show the deele organic compound and hazardous air pollutant sions in tons for each 12-month period.	ADEM Admin. Code R. 335-3-1106(90)
5.	Subp for I Misce applie	source shall maintain records required by 40 CFR 63 art MMMM, §63.3930 "National Emission Standards Hazardous Air Pollutants for Surface Coating of Ellaneous Metal Parts and Products" to include cable sections of §63.3930(a) through (h), §63.3930(j) §63.3930(k).	ADEM Admin. Code R. 335-3-1106(90)